

Technical Data Sheet**TDS****General Description**

Product Name	Isoindoline Yellow 3R
Epsilon Code	ECY13904
Color Index	Pigment Yellow 139
C.I. No.	56298
CAS	36888-99-0
EINECS NO.	253-256-2
Chemical Group	Isoindoline

Physical and Chemical properties

Test Items	Specification
Appearance	Reddish Yellow Powder
Acid Resistance	5
Alkali Resistance	5
Alcohol Resistance	5
Soap Resistance	5
Bleeding Resistance	5
Migration Resistance	5
BET Surface Area, m ² /g	52
Heat Resistance, °C	250
Light Fastness	8
Oil Absorption, g/100g	35-45
Moisture, %	1.5 max.
Water Soluble Matter, %	1.5 max.
Residue (120mesh), %	5.0 max.
PH Value	5.0-6.0

Application

Industrial paints, coil coatings, powder coatings, decorative solvent based paints, decorative water based paints, automotive OEM paints, textile printing, ink-jet inks, PA inks, PP inks, UV ink, offset inks, water based inks.

Package

25kg bag or drum with pallets.

Hangzhou Epsilon Chemical Co.,Ltd.

T.: +86-571-82270817

F.: +86-571-82660715

E: info@epsilonpigments.com

W: <http://www.epsilonpigments.com>