

Technical Data Sheet

TDS

General Description

Product Name	AZO Yellow LBF
Epsilon Code	ECY18801
Color Index	Pigment Yellow 188
C.I. No.	21094
CAS	23792-68-9
EINECS NO.	276-057-2
Chemical Group	Disazo

Physical and Chemical properties

Test Items	Specification
Appearance	Greenish Yellow Powder
Acid Resistance	5
Alkali Resistance	5
Alcohol Resistance	4
Soap Resistance	4
Bleeding Resistance	---
Migration Resistance	---
BET Surface Area, m ² /g	46
Heat Resistance, °C	180
Light Fastness	4
Oil Absorption, g/100g	30-40
Moisture, %	1.5 max.
Water Soluble Matter, %	1.5 max.
Residue (120mesh), %	5.0 max.
PH Value	6.5-8.0

Application

Offset inks.

Package

25kg bag or drum with pallets.

Hangzhou Epsilon Chemical Co.,Ltd.

T.: +86-571-82270817

F.: +86-571-82660715

E: info@epsilonpigments.com

W: <http://www.epsilonpigments.com>